

## Author Index,<sup>1</sup> 1993

### *The Telecommunications and Data Acquisition Progress Report*

*42-113, January–March, May 15, 1993*

*42-114, April–June, August 15, 1993*

*42-115, July–September, November 15, 1993*

*42-116, October–December, February 15, 1994*

#### **Abbate, S. F.**

42-114 Stability Measurements of the Radio Science System at the 34-m High-Efficiency Antennas, pp. 112–139.

See Pham, T. T.

#### **Abusali, P. A. M.**

42-115 Improved Thermal Force Modeling for GPS Satellites, pp. 32–41.

See Vigue, Y.

#### **Alvarez, L. S.**

42-115 Analysis of Open-Loop Conical Scan Pointing Error and Variance Estimators, pp. 81–90.

42-116 The Rb 780-Nanometer Faraday Anomalous Dispersion Optical Filter: Theory and Experiment, pp. 71–85.

See Yin, B.

#### **Andrews, M. M.**

42-113 Galileo Post-Gaspra Cruise and Earth-2 Encounter, pp. 106–117.

See Beyer, P. E.

#### **Asmar, S. W.**

42-113 The Flight Performance of the Galileo Orbiter USO, pp. 184–202.

See Morabito, D. D.

42-114 The Flight Performance of the Galileo Orbiter USO, pp. 327–345.

See Morabito, D. D.

#### **Bartos, R. D.**

42-113 An Analysis of the 70-Meter Antenna Hydrostatic Bearing by Means of Computer Simulation, pp. 147–173.

#### **Bautista, J. J.**

42-114 Insertion Loss and Noise-Temperature Contribution of High-Temperature Superconducting Bandpass Filters Centered at 2.3 and 8.45 GHz, pp. 61–67.

See Prater, J. L.

42-115 Cryogenic, Low-Noise High Electron Mobility Transistor Amplifiers for the Deep Space Network, pp. 65–80.

#### **Belongie, M.**

42-114 Enhanced Decoding for the Galileo S-Band Mission, pp. 96–111.

See Dolinar, S.

<sup>1</sup> In the case of joint authorship, the reader is referred to the citation under the first author, where all the authors of the article are listed.

- 42-116 Decoder Synchronization for Deep Space Missions, pp. 121–127.  
See Statman, J. I.
- Bester, M.**
- 42-116 Toward Astrometric Tracking With the Infrared Spatial Interferometer, pp. 1–9.  
See Treuhaft, R. N.
- Beyer, P. E.**
- 42-113 Galileo Post-Gaspra Cruise and Earth-2 Encounter, pp. 106–117.  
M. M. Andrews
- Bishop, D. F.**
- 42-116 Simulation of Interference Between Earth Stations and Earth-Orbiting Satellites, pp. 254–270.
- Biswas, A.**
- 42-114 Calibration of the Receiver Channel for the GOPEX Precursor Experiments, pp. 205–212.
- Blewitt, G.**
- 42-114 Improved Treatment of Global Positioning System Force Parameters in Precise Orbit Determination Applications, pp. 14–20.  
See Vigue, Y.
- Border, J. S.**
- 42-113 Precise Tracking of the Magellan and Pioneer Venus Orbiters by Same-Beam Interferometry—Part II: Orbit Determination Analysis, pp. 22–36.  
See Folkner, W. M.
- Bowen, J.**
- 42-114 A Cryogenic Seven-Element HEMT Front End for DSS 13, pp. 51–60.  
D. Neff
- Breidenthal, J. C.**
- 42-114 Stability Measurements of the Radio Science System at the 34-m High-Efficiency Antennas, pp. 112–139.  
See Pham, T. T.
- Burkhart, P. D.**
- 42-116 Enhanced Orbit Determination Filter Sensitivity Analysis: Error Budget Development, pp. 24–36.  
See Estefan, J. A.
- Cha, A.**
- 42-114 An Initial Study of Using the 34-m Antenna for Lunar Mission Support, pp. 311–315.  
P. Cramer
- Chauvin, T. H.**
- 42-116 Decoder Synchronization for Deep Space Missions, pp. 121–127.  
See Statman, J. I.
- Chen, J. C.**
- 42-115 Performance of the X-/Ka-/KABLE-Band Dichroic Plate in the DSS-13 Beam Waveguide Antenna, pp. 54–64.  
P. H. Stanton and H. F. Reilly
- Cheung, K.-M.**
- 42-115 Integer Cosine Transform Compression for Galileo at Jupiter: A Preliminary Look, pp. 110–123.  
See Ekroot, L.
- 42-116 Decoder Synchronization for Deep Space Missions, pp. 121–127.  
See Statman, J. I.
- Chow, E. T.**
- 42-114 Asynchronous Transfer Mode Link Performance Over Ground Networks, pp. 185–191.  
R. W. Markley
- Collins, O.**
- 42-114 Exploiting the Cannibalistic Traits of Reed–Solomon Codes, pp. 84–89.
- Cooper, L. P.**
- 42-115 Link Monitor and Control Operator Assistant: A Prototype Demonstrating Semiautomated Monitor and Control, pp. 124–134.  
See Lee, L. F.

**Cormier, R.**

42-113 High-Power Ka-Band Amplifier, pp. 37–45.

**Cowles, K.**

42-114 Hardware Design for the Autonomous Visibility Monitoring (AVM) Observatory, pp. 295–301.

**Cramer, P.**

42-114 An Initial Study of Using the 34-m Antenna for Lunar Mission Support, pp. 311–315.

See Cha, A.

**Danchi, W. C.**

42-116 Toward Astrometric Tracking With the Infrared Spatial Interferometer, pp. 1–9.

See Treuhaft, R. N.

**Divsalar, D.**

42-114 Coding Performance of the Probe–Orbiter–Earth Communication Link, pp. 68–83.

S. Dolinar and F. Pollara

**Dolinar, S.**

42-113 Uncorrectable Sequences and Telecommand, pp. 99–105.

See Ekroot, L.

42-114 Coding Performance of the Probe–Orbiter–Earth Communication Link, pp. 68–83.

See Divsalar, D.

42-114 Enhanced Decoding for the Galileo S-Band Mission, pp. 96–111.

M. Belongie

42-115 Integer Cosine Transform Compression for Galileo at Jupiter: A Preliminary Look, pp. 110–123.

See Ekroot, L.

**Drain, T.**

42-116 TOPEX/POSEIDON Operational Orbit Determination Results Using Global Positioning Satellites, pp. 163–174.

See Guinn, J.

**Dunn, C. E.**

42-115 New Approaches for Tracking Earth Orbiters Using Modified GPS Ground Receivers, pp. 17–31.

See Lichten, S. M.

**Edwards, C. D.**

42-115 New Approaches for Tracking Earth Orbiters Using Modified GPS Ground Receivers, pp. 17–31.

See Lichten, S. M.

**Ekroot, L.**

42-113 Uncorrectable Sequences and Telecommand, pp. 99–105.

R. J. McEliece, S. Dolinar, and L. Swanson

42-115 Integer Cosine Transform Compression for Galileo at Jupiter: A Preliminary Look, pp. 110–123.

S. Dolinar and K.-M. Cheung

**Eldred, D. B.**

42-116 An Improved Conscan Algorithm Based on a Kalman Filter, pp. 223–231.

**Epp, L. W.**

42-113 Experimental and Modal Verification of an Integral Equation Solution for a Thin-Walled Dichroic Plate With Cross-Shaped Holes, pp. 46–62.

P. H. Stanton

**Estefan, J. A.**

42-116 Enhanced Orbit Determination Filter Sensitivity Analysis: Error Budget Development, pp. 24–36.

P. D. Burkhart

**Feria, Y.**

42-113 Signal-to-Noise Ratio Losses in Full Spectrum Combining of Signals With a Downconverted Subcarrier, pp. 123–129.

J. Statman

42-116 A Complex Symbol Signal-to-Noise Ratio Estimator and Its Performance, pp. 232–245.

**Flanagan, M. J.**

- 42-115 Spur-Reduced Digital Sinusoid Synthesis, pp. 91–104.  
G. A. Zimmerman

**Folkner, W. M.**

- 42-113 Precise Tracking of the Magellan and Pioneer Venus Orbiters by Same-Beam Interferometry—Part II: Orbit Determination Analysis, pp. 22–36.  
J. S. Border, S. Nandi, and K. S. Zukor

**Franco, M.**

- 42-116 Determining Noise Temperatures in Beam Waveguide Systems, pp. 42–52.  
See Imbriale, W.

**Fugate, R. Q.**

- 42-114 GOPEX at the Starfire Optical Range, pp. 255–279.

**Gawronski, W. K.**

- 42-115 Beam-Waveguide Antenna Servo Design Issues for Tracking Low-Earth-Orbiting Satellites, pp. 135–152.  
J. A. Mellstrom
- 42-115 Experimental Modification and Identification of the DSS-13 Antenna Control System Model, pp. 42–53.  
See Racho, C. S.

**Glass, G. W.**

- 42-116 X-Band Ultralow-Noise Maser Amplifier Performance, pp. 246–253.  
G. G. Ortiz and D. L. Johnson

**Goddard, R. E.**

- 42-113 Gravity Referenced Elevation Encoder Development, pp. 63–73.

**Guinn, J.**

- 42-116 TOPEX/POSEIDON Operational Orbit Determination Results Using Global Positioning Satellites, pp. 163–174.  
J. Jee, P. Wolff, F. Lagattuta, T. Drain, and V. Sierra

**Gutierrez-Luaces, B. O.**

- 42-114 Performance Results of a Digital Test Signal Generator, pp. 140–153.  
M. Marina and B. Parham

**Haines, B. J.**

- 42-115 New Approaches for Tracking Earth Orbiters Using Modified GPS Ground Receivers, pp. 17–31.  
See Lichten, S. M.
- 42-115 A Review of GPS-Based Tracking Techniques for TDRS Orbit Determination, pp. 1–16.  
S. M. Lichten, R. P. Malla, and S.-C. Wu

**Heflin, M. B.**

- 42-114 Improved Treatment of Global Positioning System Force Parameters in Precise Orbit Determination Applications, pp. 14–20.  
See Vigue, Y.

**Hinedi, S.**

- 42-116 A Comparison of Full-Spectrum and Complex-Symbol Combing Techniques for the Galileo S-Band Mission, pp. 128–162.  
See Million, S.
- 42-116 Effects of Low Sampling Rate in the Digital Data-Transition Tracking Loop, pp. 204–222.  
See Mileant, A.

**Hops, J. M.**

- 42-114 Formal Functional Test Designs With a Test Representation Language, pp. 154–169

**Huang, J.**

- 42-116 A 32-GHz Microstrip Array Antenna for Microspacecraft Application, pp. 190–203.

**Imbriale, W.**

- 42-116 Determining Noise Temperatures in Beam Waveguide Systems, pp. 42–52.  
W. Veruttipong, T. Otoshi, and M. Franco

**Jee, J.**

- 42-116 TOPEX/POSEIDON Operational Orbit Determination Results Using Global Positioning Satellites, pp. 163–174.  
See Guinn, J.

**Jin, Y.**

- 42-115 Box Codes of Lengths 48 and 72, pp. 105–109.  
See Solomon, G.

**Johnson, D. L.**

- 42-116 X-Band Ultralow-Noise Maser Amplifier Performance, pp. 246–253.  
See Glass, G. W.

**Kayalar, S.**

- 42-113 Acoustic Charge Transport Technology Investigation for Advanced Development Transponder, pp. 174–183.

**Krisher, T. P.**

- 42-113 The Flight Performance of the Galileo Orbiter USO, pp. 184–202.  
See Morabito, D. D.
- 42-114 The Flight Performance of the Galileo Orbiter USO, pp. 327–345.  
See Morabito, D. D.

**Lagattuta, F.**

- 42-116 TOPEX/POSEIDON Operational Orbit Determination Results Using Global Positioning Satellites, pp. 163–174.  
See Guinn, J.

**Lee, L. F.**

- 42-115 Link Monitor and Control Operator Assistant: A Prototype Demonstrating Semiautomated Monitor and Control, pp. 124–134.  
L. P. Cooper

**Lee, P. R.**

- 42-114 HRMS Sky Survey Wideband Feed System Design for DSS 24 Beam Waveguide Antenna, pp. 316–326.  
See Stanton, P. H.

**Lesh, J. R.**

- 42-114 An Overview of the Galileo Optical Experiment (GOPEX), pp. 192–204.  
See Wilson, K. E.

**Levine, B. M.**

- 42-114 Data Analysis for GOPEX Image Frames, pp. 213–229.  
K. S. Shaik and T.-Y. Yan

**Levy, R.**

- 42-113 DSS-14 Subreflector Actuator Dynamics During the Landers Earthquake, pp. 130–146.  
D. Strain
- 42-113 A Note on the Computation of Antenna-Blocking Shadows, pp. 74–79.
- 42-114 Cammatic: An Approach to Improve DSS 13 Antenna Gravity-Loading Performance, pp. 43–50.  
D. Strain

**Lichten, S. M.**

- 42-114 Improved Treatment of Global Positioning System Force Parameters in Precise Orbit Determination Applications, pp. 14–20.  
See Vigue, Y.
- 42-114 Use of Global Positioning System Measurements to Determine Geocentric Coordinates and Variations in Earth Orientation, pp. 21–33.  
See Malla, R. P.

- 42-115 New Approaches for Tracking Earth Orbiters Using Modified GPS Ground Receivers, pp. 17–31.  
L. E. Young, S. Nandi, B. J. Haines, C. E. Dunn, and C. D. Edwards

42-115 A Review of GPS-Based Tracking Techniques for TDRS Orbit Determination, pp. 1–16.

See Haines, B. J.

**Linfield, R. P.**

42-114 Radio Metric Errors Due to Mismatch and Offset Between a DSN Antenna Beam and the Beam of a Troposphere Calibration Instrument, pp. 1–13.

J. Z. Wilcox

**Logan, Jr., R. T.**

42-114 Layout and Cabling Considerations for a Large Communications Antenna Array, pp. 302–310.

**Loyola, S. J.**

42-114 PC4CAST—A Tool for DSN Load Forecasting and Capacity Planning, pp. 170–184.

**Malla, R. P.**

42-114 Use of Global Positioning System Measurements to Determine Geocentric Coordinates and Variations in Earth Orientation, pp. 21–33.

S.-C. Wu and S. M. Lichten

42-115 A Review of GPS-Based Tracking Techniques for TDRS Orbit Determination, pp. 1–16.

See Haines, B. J.

**Marina, M.**

42-114 Performance Results of a Digital Test Signal Generator, pp. 140–153.

See Gutierrez–Luaces, B. O.

**Markley, R. W.**

42-114 Asynchronous Transfer Mode Link Performance Over Ground Networks, pp. 185–191.

See Chow, E. T.

**Masters, K.**

42-114 GOPEX Laser Transmission and Monitoring Systems, pp. 248–254.

See Okamoto, G.

**Masters, W. C.**

42-116 Enhanced Orbit Determination Filter: Inclusion of Ground System Errors as Filter Parameters, pp. 37–41.

D. J. Scheeres and S. W. Thurman

**McEliece, R. J.**

42-113 The General Theory of Convolutional Codes, pp. 89–98.

R. P. Stanley

42-113 Uncorrectable Sequences and Telecommand, pp. 99–105.

See Ekroot, L.

42-114 Estimating the Size of Huffman Code Preambles, pp. 90–95.

T. H. Palmatier

**Mellstrom, J. A.**

42-115 Beam-Waveguide Antenna Servo Design Issues for Tracking Low-Earth-Orbiting Satellites, pp. 135–152.

See Gawronski, W. K.

**Mileant, A.**

42-116 Effects of Low Sampling Rate in the Digital Data-Transition Tracking Loop, pp. 204–222.

S. Million and S. Hinedi

**Miller, J. K.**

42-113 The Effect of Clock, Media, and Station Location Errors on Doppler Measurement Accuracy, pp. 7–21.

**Million, S.**

42-116 A Comparison of Full-Spectrum and Complex-Symbol Combining Techniques for the Galileo S-Band Mission, pp. 128–162.

B. Shah and S. Hinedi

42-116 Effects of Low Sampling Rate in the Digital Data-Transition Tracking Loop, pp. 204–222.

See Mileant, A.

**Morabito, D. D.**

42-113 The Flight Performance of the Galileo Orbiter USO, pp. 184–202.

T. P. Krisher and S. W. Asmar

42-114 The Flight Performance of the Galileo Orbiter USO, pp. 327–345.

T. P. Krisher and S. W. Asmar

**Muellerschoen, R. J.**

42-114 Improved Treatment of Global Positioning System Force Parameters in Precise Orbit Determination Applications, pp. 14–20.

See Vigue, Y.

**Nandi, S.**

42-113 Precise Tracking of the Magellan and Pioneer Venus Orbiters by Same-Beam Interferometry—Part II: Orbit Determination Analysis, pp. 22–36.

See Folkner, W. M.

42-115 New Approaches for Tracking Earth Orbiters Using Modified GPS Ground Receivers, pp. 17–31.

See Lichten, S. M.

**Neff, D.**

42-114 A Cryogenic Seven-Element HEMT Front End for DSS 13, pp. 51–60.

See Bowen, J.

**Nguyen, T. M.**

42-114 Preliminary Design and Implementation of the Baseline Digital Baseband Architecture for Advanced Deep Space Transponders, pp. 280–294.

H.-G. Yeh

42-116 Design and Implementation of a Hybrid Digital Phase-Locked Loop With a TMS320C25—An Application to a Transponder Receiver Breadboard, pp. 175–189.

See H.-G. Yeh

**Okamoto, G.**

42-114 GOPEX Laser Transmission and Monitoring Systems, pp. 248–254.

K. Masters

**Ortiz, G. G.**

42-116 X-Band Ultralow-Noise Maser Amplifier Performance, pp. 246–253.

See Glass, G. W.

**Otoshi, T. Y.**

42-113 Maximum and Minimum Return Losses From a Passive Two-Port Network Terminated With a Mismatched Load, pp. 80–88

42-116 Determining Noise Temperatures in Beam Waveguide Systems, pp. 42–52.

See Imbriale, W.

**Owen, Jr., W. M.**

42-114 Telescope Pointing for GOPEX, pp. 230–235.

**Palmatier, T. H.**

42-114 Estimating the Size of Huffman Code Preambles, pp. 90–95.

See McEliece, R. J.

**Parham, B.**

42-114 Performance Results of a Digital Test Signal Generator, pp. 140–153.

See Gutierrez–Luaces, B. O.

**Peng, T. K.**

42-114 Stability Measurements of the Radio Science System at the 34-m High-Efficiency Antennas, pp. 112–139.

See Pham, T. T.

**Pham, T. T.**

42-114 Stability Measurements of the Radio Science System at the 34-m High-Efficiency Antennas, pp. 112–139.

J. C. Breidenthal, T. K. Peng, S. F. Abbate, and S. T. Rockwell

**Pollara, F.**

42-114 Coding Performance of the Probe–Orbiter–Earth Communication Link, pp. 68–83.

See Divsalar, D.

**Prater, J. L.**

42-114 Insertion Loss and Noise-Temperature Contribution of High-Temperature Superconducting Bandpass Filters Centered at 2.3 and 8.45 GHz, pp. 61–67.

J. J. Bautista

**Prestage, J. D.**

42-113 Improved Linear Ion Trap Physics Package, pp. 1–6.

**Quinn, R. B.**

42-116 A Dual-Cavity Ruby Maser for the Ka-Band Link Experiment, pp. 53–70.

See Shell, J.

**Rabkin, J.**

42-116 Decoder Synchronization for Deep Space Missions, pp. 121–127.

See Statman, J. I.

**Racho, C. S.**

42-115 Experimental Modification and Identification of the DSS-13 Antenna Control System Model, pp. 42–53.

W. K. Gawronski

**Reilly, H. F.**

42-114 HRMS Sky Survey Wideband Feed System Design for DSS 24 Beam Waveguide Antenna, pp. 316–326.

See Stanton, P. H.

42-115 Performance of the X-/Ka-/KABLE-Band Dichroic Plate in the DSS-13 Beam Waveguide Antenna, pp. 54–64.

See Chen, J. C.

**Rockwell, S. T.**

42-114 Stability Measurements of the Radio Science System at the 34-m High-Efficiency Antennas, pp. 112–139.

See Pham, T. T.

**Rodemich, E. R.**

42-116 A Digital Combining-Weight Estimation Algorithm for Broadband Sources With the Array Feed Compensation System, pp. 86–97.

See Vilnrotter, V. A.

42-116 Digital Combining-Weight Estimation for Broadband Sources Using Maximum-Likelihood Estimates, pp. 98–109.

V. A. Vilnrotter

**Scheeres, D. J.**

42-114 Failure Modes of Reduced-Order Orbit Determination Filters and Their Remedies, pp. 34–42.

42-116 Enhanced Orbit Determination Filter: Inclusion of Ground System Errors as Filter Parameters, pp. 37–41.

See Masters, W. C.

**Schutz, R. E.**

42-115 Improved Thermal Force Modeling for GPS Satellites, pp. 32–41.

See Vigue, Y.

**Shah, B.**

42-116 A Comparison of Full-Spectrum and Complex-Symbol Combining Techniques for the Galileo S-Band Mission, pp. 128–162.

See Million, S.

**Shaik, K. S.**

42-114 Data Analysis for GOPEX Image Frames, pp. 213–229.

See Levine, B. M.

42-115 Optical Subnet Concepts for the Deep Space Network, pp. 153–181.

D. Wonica and M. Wilhelm

**Shao, M.**

42-114 Galileo Optical Experiment (GOPEX) Optical Train: Design and Validation at the Table Mountain Facility, pp. 236–247.

See Yu, J.



**Shay, T. M.**

- 42-116 The Rb 780-Nanometer Faraday Anomalous Dispersion Optical Filter: Theory and Experiment, pp. 71–85.  
See Yin, B.

**Shell, J.**

- 42-116 A Dual-Cavity Ruby Maser for the Ka-Band Link Experiment, pp. 53–70.  
R. B. Quinn

**Sierra, V.**

- 42-116 TOPEX/POSEIDON Operational Orbit Determination Results Using Global Positioning Satellites, pp. 163–174.  
See Guinn, J.

**Solomon, G.**

- 42-115 Box Codes of Lengths 48 and 72, pp. 105–109.  
Y. Jin
- 42-116 Convolutional Encoding of Self-Dual Codes, pp. 110–113.

**Stanley, R. P.**

- 42-113 The General Theory of Convolutional Codes, pp. 89–98.  
See McEliece, R. J.

**Stanton, P. H.**

- 42-113 Experimental and Modal Verification of an Integral Equation Solution for a Thin-Walled Dichroic Plate With Cross-Shaped Holes, pp. 46–62.  
See Epp, L. W.
- 42-114 HRMS Sky Survey Wideband Feed System Design for DSS 24 Beam Waveguide Antenna, pp. 316–326.  
P. R. Lee and H. F. Reilly
- 42-115 Performance of the X-/Ka-/KABLE-Band Dichroic Plate in the DSS-13 Beam Waveguide Antenna, pp. 54–64.  
See Chen, J. C.

**Statman, J. I.**

- 42-113 Signal-to-Noise Ratio Losses in Full Spectrum Combining of Signals With a Downconverted Subcarrier, pp. 123–129.  
See Fera, Y.
- 42-116 Decoder Synchronization for Deep Space Missions, pp. 121–127.  
K.-M. Cheung, T. H. Chauvin, J. Rabkin, and M. L. Belongie
- 42-116 Optimizing the Galileo Space Communication Link, pp. 114–120.

**Strain, D.**

- 42-113 DSS-14 Subreflector Actuator Dynamics During the Landers Earthquake, pp. 130–146.  
See Levy, R.
- 42-114 Cammatic: An Approach to Improve DSS 13 Antenna Gravity-Loading Performance, pp. 43–50.  
See Levy, R.

**Swanson, L.**

- 42-113 Uncorrectable Sequences and Telecommand, pp. 99–105.  
See Ekroot, L.

**Thurman, S. W.**

- 42-116 Enhanced Orbit Determination Filter: Inclusion of Ground System Errors as Filter Parameters, pp. 37–41.  
See Masters, W. C.

**Townes, C. H.**

- 42-116 Toward Astrometric Tracking With the Infrared Spatial Interferometer, pp. 1–9.  
See Treuhaft, R. N.

**Traxler, M. R.**

- 42-113 DSN Support of Mars Observer, pp. 118–122.

**Treuhaft, R. N.**

42-116 Toward Astrometric Tracking With the Infrared Spatial Interferometer, pp. 1–9.

M. Bester, W. C. Danchi, and C. H. Townes

**Veruttipong, W.**

42-116 Determining Noise Temperatures in Beam Waveguide Systems, pp. 42–52.

See Imbriale, W.

**Vigue, Y.**

42-114 Improved Treatment of Global Positioning System Force Parameters in Precise Orbit Determination Applications, pp. 14–20.

S. M. Lichten, R. J. Muellerschoen, G. Blewitt, and M. B. Heflin

42-115 Improved Thermal Force Modeling for GPS Satellites, pp. 32–41.

R. E. Schutz and P. A. M. Abusali

**Vilnrotter, V. A.**

42-116 A Digital Combining-Weight Estimation Algorithm for Broadband Sources With the Array Feed Compensation System, pp. 86–97.

E. R. Rodemich

42-116 Digital Combining-Weight Estimation for Broadband Sources Using Maximum-Likelihood Estimates, pp. 98–109.

See Rodemich, E. R.

**Wilcox, J. Z.**

42-114 Radio Metric Errors Due to Mismatch and Offset Between a DSN Antenna Beam and the Beam of a Troposphere Calibration Instrument, pp. 1–13.

See Linfield, R. P.

42-116 Line-of-Sight Tropospheric Calibration From Measurements in Arbitrary Directions, pp. 10–23.

**Wilhelm, M.**

42-115 Optical Subnet Concepts for the Deep Space Network, pp. 153–181.

See Shaik, K.

**Wilson, K. E.**

42-114 An Overview of the Galileo Optical Experiment (GOPEX), pp. 192–204.

J. R. Lesh

**Wolff, P.**

42-116 TOPEX/POSEIDON Operational Orbit Determination Results Using Global Positioning Satellites, pp. 163–174.

See Guinn, J.

**Wonica, D.**

42-115 Optical Subnet Concepts for the Deep Space Network, pp. 153–181.

See Shaik, K.

**Wu, S.-C.**

42-114 Use of Global Positioning System Measurements to Determine Geocentric Coordinates and Variations in Earth Orientation, pp. 21–33.

See Malla, R. P.

42-115 A Review of GPS-Based Tracking Techniques for TDRS Orbit Determination, pp. 1–16.

See Haines, B. J.

**Yan, T.-Y.**

42-114 Data Analysis for GOPEX Image Frames, pp. 213–229.

See Levine, B. M.

**Yeh, H.-G.**

42-114 Preliminary Design and Implementation of the Baseline Digital Baseband Architecture for Advanced Deep Space Transponders, pp. 280–294.

See Nguyen, T. M.

42-116 Design and Implementation of a Hybrid Digital Phase-Locked Loop With a TMS320C25—An Application to a Transponder Receiver Breadboard, pp. 175–189.

T. M. Nguyen

**Yin, B.**

42-116 The Rb 780-Nanometer Faraday Anomalous Dispersion Optical Filter: Theory and Experiment, pp. 71–85.

L. S. Alvarez and T. M. Shay

**Young, L. E.**

42-115 New Approaches for Tracking Earth Orbiters Using Modified GPS Ground Receivers, pp. 17–31.

See Lichten, S. M.

**Yu, J.**

42-114 Galileo Optical Experiment (GOPEX) Optical Train: Design and Validation at the Table Mountain Facility, pp. 236–247.

M. Shao

**Zimmerman, G. A.**

42-115 Spur-Reduced Digital Sinusoid Synthesis, pp. 91–104.

See Flanagan, M. J.

**Zukor, K. S.**

42-113 Precise Tracking of the Magellan and Pioneer Venus Orbiters by Same-Beam Interferometry—Part II: Orbit Determination Analysis, pp. 22–36.

See Folkner, W. M.