

Author Index,¹ 1985

The Telecommunications and Data Acquisition Progress Report

42-81, January–March, May 15, 1985

42-82, April–June, August 15, 1985

42-83, July–September, November 15, 1985

42-84, October–December, February 15, 1986

Aguirre, S.

- 42-84 Acquisition Times of Carrier Tracking Sampled Data Phase-Locked Loops, pp. 88-93.

Berge, G. L.

- 42-81 Relating the Planetary Ephemerides and the Radio Reference Frame, pp. 1-8.

See Niell, A. E.

Berner, J. B.

- 42-83 Error and Erasure Probabilities for Galileo Uplink Code, pp. 165-179.

J. B. Berner, R. J. McEliece, and E. C. Posner

Borutzki, S. E.

- 42-81 Maintenance of Time and Frequency in the DSN Using the Global Positioning System, pp. 94-108.

See Clements, P. A.

Brockman, M. H.

- 42-84 Performance Characteristics for an Array of Two Receiving Systems With Equal Apertures and Enhanced Radio Frequency Carrier Margin Improvement, pp. 112-126.

- 42-84 Performance Characteristics for an Array of Two Receiving Systems With Unequal Predetection Signal-to-Noise Ratios and Enhanced Radio Frequency Carrier Margin Improvement, pp. 101-111.

Brokl, S. S.

- 42-83 Controller and Interface Module for the High-Speed Data Acquisition System Correlator/Accumulator, pp. 113-124.

- 42-83 A General Monitor and Control Interface to the VAX UNIBUS by Way of the DR11-C I/O Port, pp. 125-133.

Brown, D. W.

- 42-82 Planning for VLA/DSN Arrayed Support to the Voyager at Neptune, pp. 125-135.

See Layland, J. W.

Campbell, J. K.

- 42-81 Relating the Planetary Ephemerides and the Radio Reference Frame, pp. 1-8.

See Niell, A. E.

Cha, A. G.

- 42-84 Physical Optics Analysis of a Four-Reflector Antenna: Part 1, pp. 94-100

- 42-84 Gain, Phase, and Frequency Stability of DSS-42 and DSS-43 for Voyager Uranus Encounter, pp. 164-175.

A. G. Cha and R. Levy

Chan, F. P.

- 42-81 High-Speed Digital Baseband Mixer, pp. 63-80.

F. P. Chan, M. P. Quirk, and R. F. Jurgens

¹In the case of joint authorship, the reader is referred to the citation under the first author where all authors of the article are listed.

Chang, J. J.

- 42-81 Techniques for Computing the DFT Using the Residue Fermat Number Systems and VLSI, pp. 18-30.

See Truong, T. K.

Chatburn, C. C.

- 42-81 Network Information Management Subsystem, pp. 109-115.

Chian, C. T.

- 42-82 Load-Deflection Tests and Computer Analyses of a High-Precision Adhesive-Bonded Antenna Reflector Panel, pp. 68-81.

C. T. Chian and R. Levy

- 42-82 Seismic Analysis of the Large 70-Meter Antenna, Part I: Earthquake Response Spectra Versus Full Transient Analysis, pp. 31-42.

See Kiedron, K.

- 42-83 Seismic Analysis of the Large 70-Meter Antenna, Part II: General Dynamic Response and a Seismic Safety Check, pp. 12-25.

See Kiedron, K.

Ching, L.

- 42-82 SETI Radio Spectrum Surveillance System, pp. 173-184.

See Crow, B.

Clements, P. A.

- 42-81 Maintenance of Time and Frequency in the DSN Using the Global Positioning System, pp. 94-108.

P. A. Clements, A. Kirk, and S. E. Borutzki

Crow, B.

- 42-82 SETI Radio Spectrum Surveillance System, pp. 173-184.

B. Crow, A. Lokshin, M. Marina, and L. Ching

Crowe, R. A.

- 42-82 The GCF Mark IV Implementation and Beyond, pp. 163-172.

Cucchissi, J. J.

- 42-82 A New 70-Meter Antenna Quadripod With Reduced RF Blockage, pp. 24-30.

Daher, K.

- 42-84 Preliminary Results Toward Injection Locking of an Incoherent Laser Array, pp. 26-34.

Davidson, J. M.

- 42-82 Mobile VLBI and GPS Measurement of Vertical Crustal Motion, pp. 185-198.

See Kroger, P. M.

Deutsch, L. J.

- 42-81 An Integrated UNIX-Based CAD System for the Design and Testing of Custom VLSI Chips, pp. 51-62.

- 42-83 A Laser Plotting System for VLSI Chip Layouts, pp. 81-91.

See Harding, J. A.

- 42-83 A VLSI Single Chip 8-Bit Finite Field Multiplier, pp. 45-50.

See Hsu, I. S.

- 42-83 A VLSI Single Chip (255, 223) Reed-Solomon Encoder, pp. 51-56.

See Hsu, I. S.

- 42-84 A Single Chip VLSI Reed-Solomon Decoder, pp. 73-81.

See Shao, H. M.

Divsalar, D.

- 42-82 A Sequential Decoding Performance Analysis for International Comet Explorer, pp. 82-91.

Donivan, F. F.

- 42-84 Deep Space Network Radio Science System for Voyager Uranus and Galileo Missions, pp. 143-151.

See Peng, T. K.

Esposito, P. B.

42-81 Relating the Planetary Ephemerides and the Radio Reference Frame, pp. 1-8.

See Niell, A. E.

Falin, B. W.

42-82 DSN Frequency and Timing System, Mark IV-85, pp. 113-119.

Fanelli, N. A.

42-82 JPL Emergency Support of TDRSS and Compatible Satellites, pp. 120-124.

42-84 ICE Encounter Operations, pp. 176-185.

N. Fanelli and D. Morris

Faulkner, J.

42-82 A VLBI Survey at 2.29 GHz, pp. 1-10.

See Morabito, D. D.

Galindo-Israel, V.

42-84 Low-Loss Off-Axis Feeds for Symmetric Dual-Reflector Antennas, pp. 35-59.

See Veruttipong, V.

Gardner, E. C.

42-82 Mobile VLBI and GPS Measurement of Vertical Crustal Motion, pp. 185-198.

See Kroger, P. M.

Goodwin, J. P.

42-84 Usuda Deep Space Center Support for ICE, pp. 186-196.

Gordon, D. D.

42-84 Arecibo Observatory Support of the U.S. International Cometary Explorer Mission Encounter at Comet Giacobini-Zinner, pp. 197-202.

D. D. Gordon and M. T. Ward

Grimm, M. J.

42-83 A Wide-Band, High-Resolution Spectrum Analyzer, pp. 180-190.

See Quirk, M. P.

Harding, J. A.

42-83 A Laser Plotting System for VLSI Chip Layouts, pp. 81-91.

J. A. Harding and L. J. Deutsch

Hays, D. A.

42-81 Photodetection With Cooled Avalanche Photodiodes: Theory and Preliminary Experimental Results, pp. 9-17.

See Robinson, D. L.

Hoppe, D.

42-82 An Experimental TE_{12} - TE_{11} Circular Waveguide Mode Converter, pp. 43-56.

42-82 Propagation and Radiation Characteristics of a Multimode Corrugated Waveguide Feedhorn, pp. 57-67.

Hsu, I. S.

42-81 Techniques for Computing the DFT Using the Residue Fermat Number Systems and VLSI, pp. 18-30.

See Truong, T. K.

42-82 The VLBI Design of Error-Trellis Syndrome Decoding for Convolution Codes, pp. 92-107.

See Reed, I. S.

42-83 A VLSI Single Chip (255, 223) Reed-Solomon Encoder, pp. 51-56.

I. S. Hsu, L. J. Deutsch, T. K. Truong, and I. S. Reed

42-83 A VLSI Single Chip 8-Bit Finite Field Multiplier, pp. 45-50.

I. S. Hsu, L. J. Deutsch, T. K. Truong, and H. M. Shao

42-84 A Single Chip VLSI Reed-Solomon Decoder, pp. 73-81.

See Shao, H. M.

Hurd, W. J.

42-83 A Class of Optimum Digital Phase Locked Loops for the DSN Advanced Receiver, pp. 63-80.

See Kumar, R.

- 42-83 Carrier Tracking by Smoothing Filter Can Improve Symbol SNR, pp. 57-62.
See Pomalaza-Raez, C. A.
- 42-84 Intercontinental Antenna Arraying by Symbol Stream Combining at ICE Giacobini-Zinner Encounter, pp. 220-228.
W. J. Hurd, F. Pollara, M. D. Russell, B. Sieve and P. U. Winter
- Imbriale, W.**
- 42-84 Low-Loss Off-Axis Feeds for Symmetric Dual-Reflector Antennas, pp. 35-59.
See Veruttipong, V.
- Jauncey, D. L.**
- 42-82 A VLBI Survey at 2.29 GHz, pp. 1-10.
See Morabito, D. D.
- Jensen, J. M.**
- 42-82 The VLBI Design of Error-Trellis Syndrome Decoding for Convolution Codes, pp. 92-107.
See Reed, I. S.
- Jurgens, R. F.**
- 42-81 High-Speed Digital Baseband Mixer, pp. 63-80.
See Chan, F. P.
- Katow, M. S.**
- 42-83 Coupled Translations of the 64-Meter Antenna Subreflector Supports, pp. 1-11.
- Kiedron, K.**
- 42-82 Seismic Analysis of the Large 70-Meter Antenna, Part I: Earthquake Response Spectra Versus Full Transient Analysis, pp. 31-42.
K. Kiedron and C. T. Chian
- 42-83 Seismic Analysis of the Large 70-Meter Antenna, Part II: General Dynamic Response and a Seismic Safety Check, pp. 12-25.
K. Kiedron and C. T. Chian
- Kirk, A.**
- 42-81 Maintenance of Time and Frequency in the DSN Using the Global Positioning System, pp. 94-108.
See Clements, P. A.
- Kroger, P. M.**
- 42-82 Mobile VLBI and GPS Measurement of Vertical Crustal Motion, pp. 185-198.
P. M. Kroger, J. M. Davidson, and E. C. Gardner
- Kumar, R.**
- 42-83 A Class of Optimum Digital Phase Locked Loops for the DSN Advanced Receiver, pp. 63-80.
R. Kumar and W. J. Hurd
- Lanyi, G. E.**
- 42-84 The Effect of the Dynamic Wet Troposphere on VLBI Measurements, pp. 1-17.
See Treuhaft, R. N.
- Lawton, W.**
- 42-83 A Signal Detection Strategy for the SETI All Sky Survey, pp. 191-208.
See Solomon, J.
- Layland, J. W.**
- 42-82 Planning for VLA/DSN Arrayed Support to the Voyager at Neptune, pp. 125-135.
J. W. Layland and D. W. Brown
- 42-82 A VLA Experiment -- Planning for Voyager at Neptune, pp. 136-142.
J. W. Layland, P. J. Napier, and A. R. Thompson
- 42-84 ICE Telemetry Performance, pp. 203-213.
- Lee, P. J.**
- 42-81 Bit Error Rate of Coherent M -ary PSK, pp. 31-37.
- 42-82 High-Rate Convolution Code Construction With the Minimum Required SNR Criterion, pp. 108-112.

Levy, R.

42-82 Load-Deflection Tests and Computer Analyses of a High-Precision Adhesive-Bonded Antenna Reflector Panel, pp. 68-81.

See Chian, C. T.

42-84 Gain, Phase, and Frequency Stability of DSS-42 and DSS-43 for Voyager Uranus Encounter, pp. 164-175.

See Cha, A. G.

42-84 New Reflective Symmetry Design Capability in the JPL-IDEAS Structure Optimization Program, pp. 18-25.

See Strain, D.

Linfield, R. P.

42-84 The Search for Reference Sources for Δ VLBI Navigation of the Galileo Spacecraft, pp. 152-163.

See Ulvestad, J. S.

Loftsson, J.

42-82 Periodic Binary Sequences With Very Good Auto-correlation Properties, pp. 143-158.

See Tyler, S.

42-82 A Binary Sequence of Period 60 With Better Auto-correlation Properties Than the Barker Sequence of Period 13, pp. 159-162.

See Watkins, J.

Lokshin, A.

42-82 SETI Radio Spectrum Surveillance System, pp. 173-184.

See Crow, B.

Ma, C.

42-83 Comparison of GSFC and JPL VLBI Modeling Software Benchmark, pp. 101-112.

See Sovers, O. J.

Marina, M.

42-82 SETI Radio Spectrum Surveillance System, pp. 173-184.

See Crow, B.

McClure, D.

42-81 Repair of the DSS-14 Pedestal Concrete, pp. 136-148.

McEliece, R. J.

42-81 Symbol Stream Combining in a Convolutionally Coded System, pp. 47-50.

R. J. McEliece, F. Pollara, and L. Swanson

42-83 Error and Erasure Probabilities for Galileo Uplink Code, pp. 165-179.

See Berner, J. B.

42-83 The Number of Stable Points of an Infinite-Range Spin Glass Memory, pp. 209-215.

R. J. McEliece and E. C. Posner

42-84 On the Decoder Error Probability for Reed-Solomon Codes, pp. 66-72.

R. J. McEliece and L. Swanson

42-84 A Note on the Wideband Gaussian Broadcast Channel, pp. 60-65.

R. J. McEliece, E. C. Posner, and L. Swanson

McGinness, H.

42-81 A Description of the 64-Meter Antenna Elevation Drive Gears and Their Strange Wear, pp. 116-135.

Mileant, A.

42-81 Digital Filters and Digital Phase-Locked Loops, pp. 81-92.

See Simon, M.

Morabito, D. D.

42-82 A VLBI Survey at 2.29 GHz, pp. 1-10.

D. D. Morabito, R. A. Preston, J. G. Williams, J. Faulkner, D. L. Jauncey, and G. D. Nicolson

Morris, D.

42-84 ICE Encounter Operations, pp. 176-185.

See Fanelli, N.

Muhleman, D. O.

42-81 Relating the Planetary Ephemerides and the Radio Reference Frame, pp. 1-8.

See Niell, A. E.

Nadeau, T.

42-84 Periodic Variations in the Signal-to-Noise Ratios of Signals Received from the ICE Spacecraft, pp. 214-219.

Napier, P. J.

42-82 A VLA Experiment – Planning for Voyager at Neptune, pp. 136-142.

See Layland, J. W.

Newhall, X X

42-81 Relating the Planetary Ephemerides and the Radio Reference Frame, pp. 1-8.

See Niell, A. E.

Nicolson, G. D.

42-82 A VLBI Survey at 2.29 GHz, pp. 1-10.

See Morabito, D. D

Niell, A. E.

42-81 Relating the Planetary Ephemerides and the Radio Reference Frame, pp. 1-8.

A. E. Niell, X X Newhall, R. A. Preston, G. L. Berge, D. O. Muhleman, D. J. Rudy, J. K. Campbell, P. B. Esposito and E. M. Standish

Olsen, E. T.

42-83 A Signal Detection Strategy for the SETI All Sky Survey, pp. 191-208.

See Solomon, J.

Pei, D. Y.

42-81 Techniques for Computing the DFT Using the Residue Fermat Number Systems and VLSI, pp. 18-30.

See Truong, T. K.

Peng, T. K.

42-84 Deep Space Network Radio Science System for Voyager Uranus and Galileo Missions, pp. 143-151.

T. K. Peng and F. F. Donovan

Pitt, III, G. H.

42-83 Decoding Convolutionally Encoded Images, pp. 34-38.

G. H. Pitt, III, and L. Swanson

42-83 Erasure Information for a Reed-Solomon Decoder, pp. 39-44.

G. H. Pitt, III, and L. Swanson

Pollara, F.

42-81 A Software Simulation Study of a Sequential Decoder Using the Fano Algorithm, pp. 40-46.

42-81 Symbol Stream Combining in a Convolutionally Coded System, pp. 47-50.

See McEliece, R. J.

42-84 Viterbi Algorithm on a Hypercube: Concurrent Formulation, pp. 249-255.

42-84 Effects of Quantization on Symbol Stream Combining in a Convolutionally Coded System, pp. 82-87.

F. Pollara and L. Swanson

42-84 Intercontinental Antenna Arraying by Symbol Stream Combining at ICE Giacobini-Zinner Encounter, pp. 220-228.

See Hurd, W. J.

Pomalaza-Raez, C. A.

42-83 Carrier Tracking by Smoothing Filter Can Improve Symbol SNR, pp. 57-62.

C. A. Pomalaza-Raez and W. J. Hurd

Posner, E. C.

42-83 Error and Erasure Probabilities for Galileo Uplink Code, pp. 165-179.

See Berner, J. B.

- 42-83 The Number of Stable Points of an Infinite-Range Spin Glass Memory, pp. 209-215.
See McEliece, R. J.
- 42-84 A Note on the Wideband Gaussian Broadcast Channel, pp. 60-65.
See McEliece, R. J.
- Preston, R. A.**
- 42-81 Relating the Planetary Ephemerides and the Radio Reference Frame, pp. 1-8.
See Niell, A. E.
- 42-82 A VLBI Survey at 2.29 GHz, pp. 1-10.
See Morabito, D. D.
- Psaltis, D.**
- 42-84 Time and Space Integrating Acoustic-Optic Folded Spectrum Processing for SETI, pp. 229-248.
See Wagner, K.
- Quach, C. T.**
- 42-81 Determining Availability Characteristics of DSN Data Systems Using Discrepancy Report Data, pp. 149-161.
See Ruskin, A. M.
- Quirk, M. P.**
- 42-81 High-Speed Digital Baseband Mixer, pp. 63-80.
See Chan, F. P.
- 42-83 A Wide-Band, High-Resolution Spectrum Analyzer, pp. 180-190.
M. P. Quirk, H. S. Wilck, and M. J. Grimm
- 42-83 A signal Detection Strategy for the SETI All Sky Survey, pp. 191-208.
See Solomon, J.
- Reed, I. S.**
- 42-81 Techniques for Computing the DFT Using the Residue Fermat Number Systems and VLSI, pp. 18-30.
See Truong, T. K.
- 42-82 The VLBI Design of Error-Trellis Syndrome Decoding for Convolution Codes, pp. 92-107.
I. S. Reed, J. M. Jensen, T. K. Truong, and I. S. Hsu
- 42-83 A VLSI Single Chip (255, 223) Reed-Solomon Encoder, pp. 51-56.
See Hsu, I. S.
- 42-84 A Single Chip VLSI Reed-Solomon Decoder, pp. 73-81.
See Shao, H. M.
- Robinson, D. L.**
- 42-81 Photodetection With Cooled Avalanche Photodiodes: Theory and Preliminary Experimental Results, pp. 9-17.
D. L. Robinson and D. A. Hays
- Rodemich, E. R.**
- 42-82 Improved Mapping of Radio Sources From VLBI Data by Least-Squares Fit, pp. 199-210.
- Ross, D. L.**
- 42-83 Mark IV-A DSCC Telemetry System Description, pp. 92-100.
- Rudy, D. J.**
- 42-81 Relating the Planetary Ephemerides and the Radio Reference Frame, pp. 1-8.
See Niell, A. E.
- Ruskin, A. M.**
- 42-81 Determining Availability Characteristics of DSN Data Systems Using Discrepancy Report Data, pp. 149-161.
A. M. Ruskin and C. T. Quach
- Russell, M. D.**
- 42-84 Intercontinental Antenna Arraying by Symbol Stream Combining at ICE Giacobini-Zinner Encounter, pp. 220-228.
See Hurd, W. J.

Scheid, J. A.

- 42-82 Comparison of the Calibration of Ionospheric Delay in VLBI Data by the Methods of Dual Frequency and Faraday Rotation, pp. 11-23.

Shao, H. M.

- 42-83 A VLSI Single Chip 8-Bit Finite Field Multiplier, pp. 45-50.

See Hsu, I. S.

- 42-84 A Single Chip VLSI Reed-Solomon Decoder, pp. 73-81.

H. M. Shao, T. K. Truong, I. S. Hsu, L. J. Deutsch, and I. S. Reed

Siev, B.

- 42-84 Intercontinental Antenna Arraying by Symbol Stream Combining at ICE Giacobini-Zinner Encounter, pp. 220-228.

See Hurd, W. J.

Simon, M.

- 42-81 Digital Filters and Digital Phase-Locked Loops, pp. 81-92.

M. Simon and A. Mileant

Slobin, S. D.

- 42-84 A Conceptual 34-Meter Antenna Feed Configuration for Joint DSN/SETI Use From 1 to 10 GHz, pp. 127-134.

Solomon, J.

- 42-83 A Signal Detection Strategy for the SETI All Sky Survey, pp. 191-208.

J. Solomon, W. Lawton, M. P. Quirk, and E. T. Olsen

Sovers, O. J.

- 42-83 Comparison of GSFC and JPL VLBI Modeling Software Benchmark, pp. 101-112.

O. J. Sovers and C. Ma

Standish, E. M.

- 42-81 Relating the Planetary Ephemerides and the Radio Reference Frame, pp. 1-8.

See Niell, A. E.

Stephenson, S. N.

- 42-83 Mark IVA Project Training Evaluation, pp. 134-164.

Strain, D.

- 42-84 New Reflective Symmetry Design Capability in the JPL-IDEAS Structure Optimization Program, pp. 18-25.

D. Strain and R. Levy

Swanson, L.

- 42-81 Synchronizing Heavily Encoded Data in Bad Weather, pp. 38-39.

- 42-81 Symbol Stream Combining in a Convolutionally Coded System, pp. 47-50.

See McEliece, R. J.

- 42-83 Decoding Convolutionally Encoded Images, pp. 34-38.

See Pitt, III, G. H.

- 42-83 Erasure Information for a Reed-Solomon Decoder, pp. 39-44.

See Pitt, III, G. H.

- 42-84 A Note on the Wideband Gaussian Broadcast Channel, pp. 60-65.

See McEliece, R. J.

- 42-84 On the Decoder Error Probability for Reed-Solomon Codes, pp. 66-72.

See McEliece, R. J.

- 42-84 Effects of Quantization on Symbol Stream Combining in a Convolutionally Coded System, pp. 82-87.

See Pollara, F.

Thompson, A. R.

42-82 A VLA Experiment – Planning for Voyager at Neptune, pp. 136-142.

See Layland, J. W.

Thorman, H. C.

42-84 DSN Command System Mark IV-85, pp. 135-142.

Treuhaft, R. F.

42-84 The Effect of the Dynamic Wet Troposphere on VLBI Measurements, pp. 1-17.

R. N. Treuhaft and G. E. Lanyi

Truong, T. K.

42-81 Techniques for Computing the DFT Using the Residue Fermat Number Systems and VLSI, pp. 18-30.

T. K. Truong, J. J. Chang, I. S. Hsu, D. Y. Pei, and I. S. Reed

42-82 The VLBI Design of Error-Trellis Syndrome Decoding for Convolution Codes, pp. 92-107.

See Reed, I. S.

42-83 A VLSI Single Chip 8-Bit Finite Field Multiplier, pp. 45-50.

See Hsu, I. S.

42-83 A VLSI Single Chip (255, 223) Reed-Solomon Encoder, pp. 51-56.

See Hsu, I. S.

42-84 A Single Chip VLSI Reed-Solomon Decoder, pp. 73-81.

See Shao, H. M.

Tyler, S.

42-82 Periodic Binary Sequences With Very Good Auto-correlation Properties, pp. 143-158.

S. Tyler and J. Loftsson

42-82 A Binary Sequence of Period 60 with Better Auto-correlation Properties Than the Barker Sequence of Period 13, pp. 159-162.

See Watkins, J.

Ulvestad, J. S.

42-84 The Search for Reference Sources for Δ VLBI Navigation of the Galileo Spacecraft, pp. 152-163.

J. S. Ulvestad and R. P. Linfield

Veruttipong, T.

42-84 Low-Loss Off-Axis Feeds for Symmetric Dual-Reflector Antennas, pp. 35-59.

T. Veruttipong, V. Galindo-Israel, and W. Imbriale

Vo, Q. D.

42-83 In Search of a 2-dB Coding Gain, pp. 26-33.

See Yuen, J. H.

Wagner, K.

42-84 Time and Space Integrating Acoustic-Optic Folded Spectrum Processing for SETI, pp. 229-248.

K. Wagner and D. Psaltis

Ward, M. T.

42-84 Arecibo Observatory Support of the U.S. International Cometary Explorer Mission Encounter at Comet Giacobini-Zinner, pp. 197-202.

See Gordon, D. D.

Watkins, J.

42-82 A Binary Sequence of Period 60 With Better Auto-correlation Properties Than the Barker Sequence of Period 13, pp. 159-162.

J. Watkins, J. Loftsson, and S. Tyler

Wilck, H. S.

42-83 A Wide-Band, High-Resolution Spectrum Analyzer, pp. 180-190.

See Quirk, M. P.

Williams, J. G.

42-82 A VLBI Survey at 2.29 GHz, pp. 1-10.

See Morabito, D. D.

Winter, P. U.

42-84 Intercontinental Antenna Arraying by Symbol Stream Combining at ICE Giacobini-Zinner Encounter, pp. 220-228.

See Hurd, W. J.

Yuen, J. H.

42-83 In Search of a 2-dB Coding Gain, pp. 26-33.

J. H. Yuen and Q. D. Vo