

Author Index,¹ 1987

The Telecommunications and Data Acquisition Progress Report

42-89, January–March, May 15, 1987

42-90, April–June, August 15, 1987

42-91, July–September, November 15, 1987

42-92, October–December, February 15, 1988

Abdel-Ghaffar, K.

- 42-90 Construction for Finite-State Codes, pp. 42–49.
See Pollara, F.

Aguilera, C. S. R.

- 42-92 Frame Synchronization Performance and Analysis,
pp. 110–116.
C. S. R. Aguilera, L. Swanson, and G. H. Pitt III

Annis, J.

- 42-91 The Atmosphere of Mars and Optical Communications, pp. 124–132.

Belk, P.

- 42-91 A Procedural Method for the Efficient Implementation of Full-Custom VLSI Designs, pp. 235–246.
P. Belk and N. Hickey

Bhanji, A.

- 42-90 Reduction of Ground Noise in the Transmitter Crowbar Instrumentation System by the Use of Baluns and Other Noise Rejection Methods, pp. 27–31.
See Daeges, J.
- 42-91 Inductance Effects in the High-Power Transmitter Crowbar System, pp. 81–88.
See Daeges, J.

Border, J. S.

- 42-91 A Demonstration of High Precision GPS Orbit Determination for Geodetic Applications, pp. 1–22.
See Lichten, S. M.

Brady, R.

- 42-92 Simulated Performance of an Order Statistic Threshold Strategy for Detection of Narrowband Signals, pp. 191–197.
See Satorius, E.

Britcliffe, M.

- 42-90 Sorption Compressor/Mechanical Expander Hybrid Refrigeration, pp. 21–26.
See Jones, J. A.
- 42-91 Traveling-Wave Maser Closed-Cycle Refrigerator Data Acquisition and Display System, pp. 304–311.
See Fowler, L.
- 42-91 Two-Watt, 4-Kelvin Closed Cycle Refrigerator Performance, pp. 312–317.

Brokl, S. S.

- 42-90 Survey of Current Correlators and Applications, pp. 54–62.
See Lahmeyer, C. R.

Brown, D. H.

- 42-89 DSN Advanced Receiver: Breadboard Description and Test Results, pp. 48–66.
D. H. Brown and W. J. Hurd

¹In case of joint authorship, the reader is referred to the citation under the first author where all authors of the article are listed.

- 42-91 Optimized Tracking of RF Carriers With Phase Noise, Including Pioneer 10 Results, pp. 141-157.
See Vilnrotter, V. A.

Brundage, W. D.

- 42-92 X-Band System Performance of the Very Large Array, pp. 123-137.
See Ulvestad, J. S.

Brunzie, T. J.

- 42-92 A Noise-Adding Radiometer for the Parkes Antenna, pp. 117-122.

Cardenas, R.

- 42-91 The 8.4-GHz Low-Noise Maser Pump Source Assembly, pp. 278-284.

Cha, A. G.

- 42-89 Z-Corrections for DSN 70-Meter Antenna Ranging Calibration, pp. 77-82.

Cheung, K. M.

- 42-91 More on the Decoder Error Probability for Reed-Solomon Codes, pp. 213-223.
42-92 A Labeling Procedure for Linear Finite-State Codes, pp. 50-55.
42-92 A Lower Bound for the Decoder Error Probability of the Linear MDS Code, pp. 43-49.
42-92 Further Results on Finite-State Codes, pp. 56-62.
See Pollara, F.

Chuang, K. L.

- 42-92 An Optimal Structure for a 34-Meter Millimeter-Wave Center-Fed BWG Antenna: The "Cross-Box" Concept, pp. 27-39.

Clements, P. A.

- 42-89 Results of Using the Global Positioning System to Maintain the Time and Frequency Synchronization in the Deep Space Network, pp. 67-72.
P. A. Clements, A. Kirk, and R. Unglaub

Daeges, J.

- 42-90 Reduction of Ground Noise in the Transmitter Crowbar Instrumentation System by the Use of Baluns and Other Noise Rejection Methods, pp. 27-31.
J. Daeges and A. Bhanji
42-91 Inductance Effects in the High-Power Transmitter Crowbar System, pp. 81-88.
J. Daeges and A. Bhanji

Daggett, D. L.

- 41-91 A Cold Ejector for Closed-Cycle Helium Refrigerators, pp. 102-111.
See Johnson, D. L.

Deich, W.

- 42-92 Simulated Performance of an Order Statistic Threshold Strategy for Detection of Narrowband Signals, pp. 191-197.
See Satorius, E.

Deutsch, L. J.

- 42-89 A VLSI Single Chip (255, 223) Reed-Solomon Encoder With Interleaver, pp. 41-47.
See Hsu, I.-S.
42-90 A Comparison of VLSI Architecture of Finite Field Multipliers Using Dual, Normal, or Standard Basis, pp. 63-75.
See Hsu, I.-S.
42-91 The Design Plan of a VLSI Single Chip (255, 223) Reed-Solomon Decoder, pp. 186-199.
See Hsu, I.-S.
42-91 On the VLSI Design of a Pipeline Reed-Solomon Decoder Using Systolic Arrays, pp. 224-234.
See Shao, H. M.
42-92 A Comparison of VLSI Architectures for Time and Transform Domain Decoding of Reed-Solomon Codes, pp. 63-81.
See Hsu, I.-S.

Dick, G. J.

- 42-91 Atomic Frequency Standards for Ultra-High-Frequency Stability, pp. 67-72.

See Maleki, L.

- 42-91 Measurement and Analysis of Cryogenic Sapphire Dielectric Resonators and DROs, pp. 73-80.

- 42-91 Fast Autotuning of a Hydrogen Maser by Cavity Q Modulation, pp. 295-303.

G. J. Dick and T. K. Tucker

- 42-92 The JPL Trapped Mercury Ion Frequency Standard, pp. 13-19.

See Prestage, J. D.

Eastman, W. L.

- 42-91 A Simplified Procedure for Correcting Both Errors and Erasures of a Reed-Solomon Code Using the Euclidean Algorithm, pp. 200-212.

See Truong, T. K.

Edwards, C. D.

- 42-91 Short Baseline Phase Delay Interferometry, pp. 46-56.

Foster, C.

- 42-91 Analysis of the ICE Combiner for Multiple Antenna Arraying, pp. 269-277.

C. Foster and M. Marina

Fowler, L.

- 42-91 Traveling-Wave Maser Closed-Cycle Refrigerator Data Acquisition and Display System, pp. 304-311.

L. Fowler and M. Britcliffe

Franco, M. M.

- 42-89 DSS 13 Frequency Stability Tests, pp. 1-20.

See Otoshi, T. Y.

Gilchriest, C. E.

- 42-89 Spacecraft Mass Trade-Offs Versus Radio-Frequency Power and Antenna Size at 8 GHz and 32 GHz, pp. 21-33.

Glenn, P.

- 42-92 The Design and Implementation of the Technical Facilities Controller (TFC) for the Goldstone Deep Space Communications Complex, pp. 175-183.

See Killian, D. A.

Gorman, T.

- 42-92 The Design and Implementation of the Technical Facilities Controller (TFC) for the Goldstone Deep Space Communications Complex, pp. 175-183.

See Killian, D. A.

Gosline, R. M.

- 42-92 SETI Data Controllers, pp. 184-190.

Greenhall, C. A.

- 42-90 A Method for Using a Time Interval Counter to Measure Frequency Stability, pp. 149-156.

Guiar, C. N.

- 42-92 Using Ridge Regression in Systematic Pointing Error Corrections, pp. 20-26.

Gulkis, S.

- 42-92 Simulated Performance of an Order Statistic Threshold Strategy for Detection of Narrowband Signals, pp. 191-197.

See Satorius, E.

Hartop, R.

- 42-89 Microwave Component Time Delays for the 70-Meter Antennas, pp. 73-76.

- 42-90 Compound-Taper Feedhorn for the DSN 70-Meter Antennas, pp. 81-88.

See Manshadi, F.

Hickey, N.

- 42-91 A Procedural Method for the Efficient Implementation of Full-Custom VLSI Designs, pp. 235-246.

See Belk, P.

Hill, R. E.

- 42-91 A New State Space Model for the NASA/JPL 70-Meter Antenna Servo Controls, pp. 247-264.

- 42-91 A Modern Control Theory Based Algorithm for Control of the NASA/JPL 70-Meter Antenna Axis Servos, pp. 285-294.

Hoppe, D.

- 42-90 Calculated 70-Meter Antenna Performance for Offset L-Band and C-Band Feeds, pp. 12-20.
D. Hoppe and P. Stanton

Howard, S. D.

- 42-90 State Transition Storyboards: A Tool for Designing the Goldstone Solar System Radar Data Acquisition System User Interface Software, pp. 94-102.

Hsu, I.-S.

- 42-89 A VLSI Single Chip (255, 223) Reed-Solomon Encoder With Interleaver, pp. 41-47.
I.-S. Hsu, L. J. Deutsch, T. K. Truong, and I. S. Reed
- 42-90 A Comparison of VLSI Architecture of Finite Field Multipliers Using Dual, Normal, or Standard Basis, pp. 63-75.
I.-S. Hsu, T. K. Truong, H. M. Shao, L. J. Deutsch, and I. S. Reed
- 42-91 The Design Plan of a VLSI Single Chip (255, 223) Reed-Solomon Decoder, pp. 186-199.
I.-S. Hsu, H. M. Shao, and L. J. Deutsch
- 42-91 A Simplified Procedure for Correcting Both Errors and Erasures of a Reed Solomon Code Using the Euclidean Algorithm, pp. 200-212.
See Truong, T. K.
- 42-92 A Comparison of VLSI Architectures for Time and Transform Domain Decoding of Reed-Solomon Codes, pp. 63-81.
I.-S. Hsu, T. K. Truong, L. J. Deutsch, E. H. Satorius, and I. S. Reed

Hurd, W. J.

- 42-89 DSN Advanced Receiver: Breadboard Description and Test Results, pp. 48-66.
See Brown, D. H.
- 42-91 Optimized Tracking of RF Carriers With Phase Noise, Including Pioneer 10 Results, pp. 141-157.
See Vilmrotter, V. A.

- 42-91 Detection of Signals by the Digital Integrate-and-Dump Filter With Offset Sampling, pp. 158-173.
See Sadr, R.

Imbriale, W. A.

- 42-90 DSS 43 Antenna Gain Analysis for Voyager Uranus Encounter: 8.45 GHz Radio Science Data Correction, pp. 127-135.
See Slobin, S. D.

Jackson, E. B.

- 42-91 Power Density Measurements in the Near Field of the DSS 13 26-Meter Antenna, pp. 325-327.
E. B. Jackson and M. J. Klein

Jee, J. R.

- 42-91 Robust Statistical Methods for Automated Outlier Detection, pp. 23-28.

Johns, C. E.

- 42-89 Block III X-Band Receiver-Exciter, pp. 83-93.
- 42-91 X-Band Uplink Ground Systems Development: Part II, pp. 265-268.

Johnson, D. L.

- 42-91 A Cold Ejector for Closed-Cycle Helium Refrigerators, pp. 102-111.
D. L. Johnson and D. L. Daggett

Jones, J. A.

- 42-90 Sorption Compressor/Mechanical Expander Hybrid Refrigeration, pp. 21-26.
J. A. Jones and M. Britcliffe

Kerr, E. L.

- 42-91 A Near-Earth Optical Communications Terminal With a Corevolving Planetary Sun Shield, pp. 133-140.

Killian, D. A.

- 42-92 The Design and Implementation of the Technical Facilities Controller (TFC) for the Goldstone Deep Space Communications Complex, pp. 175-183.
D. A. Killian, F. J. Menninger, T. Gorman, and P. Glenn

Kirk, A.

- 42-89 Results of Using the Global Positioning System to Maintain the Time and Frequency Synchronization in the Deep Space Network, pp. 67-72.
See Clements, P. A.

Klein, M. J.

- 42-91 Power Density Measurements in the Near Field of the DSS 13 26-Meter Antenna, pp. 325-327.
See Jackson, E. B.

Lahmeyer, C. R.

- 42-90 Survey of Current Correlators and Applications, pp. 54-62.
C. R. Lahmeyer and S. S. Brokl

Lichten, S. M.

- 42-91 A Demonstration of High Precision GPS Orbit Determination for Geodetic Applications, pp. 1-22.
S. M. Lichten and J. S. Border

Linfield, R.

- 42-92 Source and Event Selection for Radio-Planetary Frame-Tie Measurements Using the Phobos Landers, pp. 1-12.
R. Linfield and J. Ulvestad

Loveland, R.

- 42-90 Power Supply Conditioning Circuit, pp. 1-7.
See Primas, L. E.

Lutes, G.

- 42-90 A High-Performance Single-Mode Fiber-Optic Isolator Assembly, pp. 8-11.

Maleki, L.

- 42-91 Atomic Frequency Standards for Ultra-High-Frequency Stability, pp. 67-72.
L. Maleki, J. D. Prestage, and G. J. Dick
42-92 The JPL Trapped Mercury Ion Frequency Standard, pp. 13-19.
See Prestage, J. D.

Manshadi, F.

- 42-90 Compound-Taper Feedhorn for the DSN 70-Meter Antennas, pp. 81-88.
F. Manshadi and R. Hartop

Marina, M.

- 42-91 Analysis of the ICE Combiner for Multiple Antenna Arraying, pp. 269-277.
See Foster, C.

McEliece, R. J.

- 42-90 Construction for Finite-State Codes, pp. 42-49.
See Pollara, F.
42-92 Further Results on Finite-State Codes, pp. 56-62.
See Pollara, F.

Menninger, F. J.

- 42-92 The Design and Implementation of the Technical Facilities Controller (TFC) for the Goldstone Deep Space Communications Complex, pp. 175-183.
See Killian, D. A.

Metscher, B. D.

- 42-89 An Evaluation of the Communication System for the TAU Mission Study, pp. 101-107.

Neff, D.

- 42-89 Use of a 2.3-GHz Traveling-Wave Maser on the Usuda 64-Meter Antenna, pp. 34-40.

Nelson, M. D.

- 42-92 Optical Links in the Angle-Data Assembly of the 70-Meter Antennas, pp. 154-165.
M. D. Nelson, J. R. Schroeder, and E. F. Tubbs

Nickerson, J. A.

- 42-90 A New Linear Quadratic Optimal Controller for the 34-Meter High Efficiency Antenna Position Loop, pp. 136-148.
42-92 New Mode Switching Algorithm for the JPL 70-Meter Antenna Servo Controller, pp. 147-153.

Norris, D.

- 42-91 Low-Noise Cryogenic Transmission Line, pp. 89-93.

Otoshi, T. Y.

- 42-89 DSS 13 Frequency Stability Tests, pp. 1-20.
T. Y. Otoshi and M. M. Franco

Pitt III, G. H.

- 42-90 Image Statistics Decoding for Convolutional Codes, pp. 32-41.
G. H. Pitt III, L. Swanson, and J. H. Yuen
- 42-92 Frame Synchronization Performance and Analysis, pp. 110-116.
See Aguilera, C. S. R.

Pollara, F.

- 42-90 Construction for Finite-State Codes, pp. 42-49.
F. Pollara, R. J. McEliece, and K. Abdel-Ghaffar
- 42-90 Soft-Decision Decoding of Some Block Codes, pp. 76-80.
- 42-92 Further Results on Finite-State Codes, pp. 56-62.
F. Pollara, K.-M. Cheung, and R. McEliece

Prestage, J. D.

- 42-91 Atomic Frequency Standards for Ultra-High-Frequency Stability, pp. 67-72.
See Maleki, L.
- 42-92 The JPL Trapped Mercury Ion Frequency Standard, pp. 13-19.
J. D. Prestage, G. J. Dick, and L. Maleki

Primas, L. E.

- 42-90 Power Supply Conditioning Circuit, pp. 1-7.
L. E. Primas and R. Loveland

Quinn, R. B.

- 42-89 Dual-Polarization 8.45 GHz Traveling-Wave Maser, pp. 94-100.
- 42-92 A 2.3-GHz Maser at Usuda, Japan, for TDRSS-Orbiting VLBI Experiment, pp. 40-42.

Reed, I. S.

- 42-89 A VLSI Single Chip (255, 223) Reed-Solomon Encoder With Interleaver, pp. 41-47.
See Hsu, I.-S.
- 42-90 A Comparison of VLSI Architecture of Finite Field Multipliers Using Dual, Normal, or Standard Basis, pp. 63-75.
See Hsu, I.-S.
- 42-91 A Simplified Procedure for Correcting Both Errors and Erasures of a Reed-Solomon Code Using the Euclidean Algorithm, pp. 200-212.
See Truong, T. K.
- 42-91 On the VLSI Design of a Pipeline Reed-Solomon Decoder Using Systolic Arrays, pp. 224-234.
See Shao, H. M.
- 42-92 A Comparison of VLSI Architectures for Time and Transform Domain Decoding of Reed-Solomon Codes, pp. 63-81.
See Hsu, I.-S.

Resch, G. M.

- 42-92 X-Band System Performance of the Very Large Array, pp. 123-137.
See Ulvestad, J. S.

Robinson, D. L.

- 42-91 Frequency Doubling Conversion Efficiencies for Deep Space Optical Communications, pp. 112-123.
D. L. Robinson and R. L. Shelton

Sadr, R.

- 42-91 Detection of Signals by the Digital Integrate-and-Dump Filter With Offset Sampling, pp. 158-173.
R. Sadr and W. J. Hurd
- 42-91 Detection of Signals by Weighted Integrate-and-Dump Filter, pp. 174-185.

Sakamoto, L. L.

- 42-92 Spacecraft Telecommunications System Mass Estimates, pp. 82-88.
See Yuen, J. H.

Satorius, E. H.

- 42-92 A Comparison of VLSI Architectures for Time and Transform Domain Decoding of Reed-Solomon Codes, pp. 63-81.

See Hsu, I.-S.

- 42-92 Simulated Performance of an Order Statistic Threshold Strategy for Detection of Narrowband Signals, pp. 191-197.

E. Satorius, R. Brady, W. Deich, S. Gulkis and E. Olsen

Schlutsmeyer, A.

- 42-89 An Interactive Wire-Wrap Board Layout Program, pp. 101-107.

Schredder, J. M.

- 42-92 Seventy-Meter Antenna Performance Predictions: GTD Analysis Compared With Traditional Ray-Tracing Methods, pp. 166-174.

Schroeder, J. R.

- 42-92 Optical Links in the Angle-Data Assembly of the 70-Meter Antennas, pp. 154-165.

See Nelson, M. D.

Shahshahani, M.

- 42-90 Systolic Arrays and Stack Decoding, pp. 50-53.

Shao, H. M.

- 42-90 A Comparison of VLSI Architecture of Finite Field Multipliers Using Dual, Normal, or Standard Basis, pp. 63-75.

See Hsu, I.-S.

- 42-91 The Design Plan of a VLSI Single Chip (255, 223) Reed-Solomon Decoder, pp. 186-199.

See Hsu, I.-S.

- 42-91 On the VLSI Design of a Pipeline Reed-Solomon Decoder Using Systolic Arrays, pp. 224-234.

H. M. Shao, L. J. Deutsch, and I. S. Reed

Shelton, R. L.

- 42-91 Frequency Doubling Conversion Efficiencies for Deep Space Optical Communications, pp. 112-123.

See Robinson, D. L.

Sigman, E. H.

- 42-92 Phase Calibration Generator, pp. 89-104.

Slobin, S. D.

- 42-90 DSS 63 64-Meter Antenna S- and X-Band Efficiency and System Noise Temperature Calibrations, July 1986, pp. 103-115.

- 42-90 DSS 43 64-Meter Antenna S- and X-Band Efficiency and System Noise Temperature Calibrations, January 1987, pp. 116-126.

- 42-90 DSS 43 Antenna Gain Analysis for Voyager Uranus Encounter: 8.45 GHz Radio Science Data Correction, pp. 127-135.

S. D. Slobin and W. A. Imbriale

- 42-92 DSS 14 64-Meter Antenna S- and X-Band Efficiency and System Noise Temperature Calibrations, September 1987, pp. 138-146.

Smith, J. R.

- 42-92 A Simplified, General-Purpose Deep-Space Ranging Correlator Design, pp. 105-109.

See Tausworthe, R. C.

Stanton, P. H.

- 42-90 Calculated 70-Meter Antenna Performance for Offset L-Band and C-Band Feeds, pp. 12-20.

See Hoppe, D.

- 42-90 X-Band Phase Calibration Generator Coupler, pp. 89-93.

Stelzried, C. T.

- 42-91 Non-Linearity in Measurement Systems: Evaluation Method and Application to Microwave Radiometers, pp. 57-66.

Swanson, L.

- 42-90 Image Statistics Decoding for Convolutional Codes, pp. 32-41.

See Pitt III, G. H.

- 42-92 Frame Synchronization Performance and Analysis, pp. 110-116.

See Aguilera, C. S. R.

Tanida, L.

- 42-91 A 2.3-GHz Cryogenically Cooled HEMT Amplifier for DSS 13, pp. 94-101.

Tausworthe, R. C.

- 42-91 Tau Ranging Revisited, pp. 318-324.
- 42-92 A Simplified, General-Purpose Deep-Space Ranging Correlator Design, pp. 105-109.
- R. C. Tausworthe and J. R. Smith

Truong, T. K.

- 42-89 A VLSI Single Chip (255, 223) Reed-Solomon Encoder With Interleaver, pp. 41-47.
- See Hsu, I.-S.
- 42-90 A Comparison of VLSI Architecture of Finite Field Multipliers Using Dual, Normal, or Standard Basis, pp. 63-75.
- See Hsu, I.-S.
- 42-91 A Simplified Procedure for Correcting Both Errors and Erasures of a Reed-Solomon Code Using the Euclidean Algorithm, pp. 200-212.
- T. K. Truong, I. S. Hsu, W. L. Eastman, and I. S. Reed
- 42-92 A Comparison of VLSI Architectures for Time and Transform Domain Decoding of Reed-Solomon Codes, pp. 63-81.
- See Hsu, I.-S.

Tubbs, E. F.

- 42-92 Optical Links in the Angle-Data Assembly of the 70-Meter Antennas, pp. 154-165.
- See Nelson, M. D.

Tucker, T. K.

- 42-91 Fast Autotuning of a Hydrogen Maser by Cavity Q Modulation, pp. 295-303.
- See Dick, G. J.

Ulvestad, J. S.

- 42-92 Source and Event Selection for Radio-Planetary Frame-Tie Measurements Using the Phobos Landers, pp. 1-12.
- See Linfield, R.

- 42-92 X-Band System Performance of the Very Large Array, pp. 123-137.

J. S. Ulvestad, G. M. Resch, and W. D. Brundage

Unglaub, R.

- 42-89 Results of Using the Global Positioning System to Maintain the Time and Frequency Synchronization in the Deep Space Network, pp. 67-72.
- See Clements, P.A.

Vilnrotter, V. A.

- 42-91 Optimized Tracking of RF Carriers With Phase Noise, Including Pioneer 10 Results, pp. 141-157.
- V. A. Vilnrotter, W. J. Hurd, and D. H. Brown

Wu, S. C.

- 42-91 Precise Near-Earth Navigation With GPS: A Survey of Techniques, pp. 29-45.
- See Yunck, T. P.

Wu, J.

- 42-91 Precise Near-Earth Navigation With GPS: A Survey of Techniques, pp. 29-45.
- See Yunck, T. P.

Yuen, J. H.

- 42-90 Image Statistics Decoding for Convolutional Codes, pp. 32-41.
- See Pitt III, G. H.
- 42-92 Spacecraft Telecommunications System Mass Estimates, pp. 82-88.
- J. H. Yuen and L. L. Sakamoto

Yunck, T. P.

- 42-91 Precise Near-Earth Navigation With GPS: A Survey of Techniques, pp. 29-45.
- T. P. Yunck, S. C. Wu, and J. Wu